Cyber Attacks

Jan-Malte Benneker Florian Grünert Enrique Jerlitschka Evely Jürgenson Glen Vinkel Jonas Schmitz



Table of contents

- Definition
- ☐ Kinds of attacks
 - ☐ Trojan attack
 - □ Virus attack
 - □ Worms
 - Exploit security holes
 - □ DDoS

Table of contents

- □ Cyberattacks launched
 - Estonia
 - ☐ Myanmar
 - □ Singapore
 - □ Telekom

Table of contents


- Prevention
 - □ Spam filter
 - Software protection
 - Internet behavior
 - □ E-Mail behavior
- Cyberbullying
 - Definition
 - Types
 - Examples

1. Definition

Definition

What is a cyber attack?

- also known as a computer network attack
- an attempt to damage a computer network
- often done for the purpose of spying




Trojan attack

- designed as a legitimate program
- hides viruses or worms



Virus attack

- are self-replicating
- attached to other programs
- hide in any location in the system
- can change its own digital footprint



Worms

- are self-sustaining programs
- use protocols as gateway to other networks
- are uncontrollable by owner
- monitor systems or change them




Exploit security holes

- used by every virus, Trojan and worm
- occur because of outdated systems



Distributed Denial of Service (DDoS)


- use worms and Trojans to create bot networks
- spam a system by requests
- block systems



3. Cyberattacks launched


Cyberattacks launched







Vir celeberine Cojhtwag tut cite in low offichers ve ferma autorum perplaculie the wide nountil re proposal har funding, non omino samon intermite velim Alliman effor evin ep antiquitate your no big chan provelle pollint, gracepto mortano printegrio et morano moltano printegrio et morano moltane printegrio et moltano militari mante la grat velera de perita sel obliterata winihil registratified affinet vellen digns, Furnalis telam pertagatet nam Minellau um appe placet Nay Onds, vigyan officer, Naglau um appe placet Nay Onds, vigyan officer, Safrier, alway Farnaliano more producti velim Jeaning and mathican investible function whitelength and the whitelength and find of the gratum end vall. Jaban Hanovers 19 Marky 1716 g. g. Labrity



Definition

Kinds of attacks

Cyberattacks launched

Prevention



Cyberattacks launched







Definition

Kinds of attacks

Cyberattacks launched

Prevention


Cyberattacks launched - Estonia

- 2007
- DDOS attack

- duration: three weeks

- effect: war memorial

target: government and bank server



Definition


Kinds of attacks

Cyberattacks launched

Prevention

Cyberattacks launched - Myanmar

- 2010
- DDOS attack
- 10 15 GBps
- duration: several days
- effect: manipulated election
- target: main internet provider MPT



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Cyberattacks launched - Singapore

- 2013
- hacked by "The Messiah"
- "do not impinge on internet freedom"
- effect: web censorship regulation
- target: webpages and VIPs



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Cyberattacks launched - Singapore



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Cyberattacks launched - Telekom



Definition Kinds of attacks Cyberattacks launched Prevention Cyber Bullying

Cyberattacks launched - Telekom

- 2016
- generated a DDOS
- target: upload malware on Telekom speedport router
- result: router shut themselves down



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Spam filter

- is a program or addon
- filters advertising and spam

Used in...

mail-servers email software web browsers systems for websites

Definition Kinds of attacks Cyberattacks launched Prevention Cyber Bullying

Spam filter check:

E-mail addresses and urls

Sender's ip addresses

Text messages



Spam filter methods:

Blackfish	Bayes-filter	Database based
 uses a list of blocked addresses and domains searches for bad terms in emails and on websites deletes spam mails 	 system is self-learning users define spam mails and the program learning method has a high hit rate 	 is a central database contains a lot of spam mails run on central server checks if database contains mails

Definition

Kinds of attacks

Cyberattacks launched

Prevention

Anti virus software

- check documents and software
- stop running of malware
- push infected files in quarantine

Active scanning

Background scanning



Active scan:

- anti malware scan
- full scan
- processor power needed









Background scanning:

- scan constantly
- scan in background
- use computer at the same time
- scan new files



Internet behavior:

- any website could contain a Trojan
- any email could contain a virus
- any software could be a Trojan
- any website could transfer your identity



Cyberattacks launched

Prevention

E-mail behavior - Do not:

- open attachments of unknown mails
- open links if account update is required
- respond to spam mails



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Internet behavior:

- respect privacy
- update your browser constantly
- use safe passwords
- keep your full name or address secret
- delete regularly your browser data




5. Cyberbullying

Cyberbullying

What is cyberbullying?

- bullying using electronic technology
- harassing, threatening or intimidating someone
- cyberbullying can happen anywhere online



Cyberbullying

Types of cyberbullying

- harassment
- flaming
- exclusion
- outing
- masquerading



Definition

Kinds of attacks

Cyberattacks launched

Prevention

Cyberbullying

Examples

- spreading mean rumours online
- sending hurtful texts
- posting embarrassing photos or videos



Thank you for your attention

Do you have any questions?

